

CHANGZHOU XINGGAN DRYING EQUIPMENT CO.,LTD

Tel: +86-519-88900188 Mobile: +8618661216636

Wechat: zlx635771893 E-mail: franklxz@xggz.com

KZL Series High-speed Grinding Granulator



Working Principle

With reasonably-designed strainer and poles, KZL High-Speed Granulate is capable of smashing big fragile blocks. It can also filter carefully with special strainer under the principle of centrifugal force and those specific friction strainer poles can smash solid particles and big blocks.

Features

- 1、 Less heat or dusts will be produced.
- 2、 The stainless stator strainer is durable.
- 3、 Gap between crushing blade and sieve can be adjusted.
- 4、 It's capable of dealing with viscous, gummy, humid and moderate material.

Application

- 1、 Dry and wet granules are homogenized and granulated.
- 2、 Crushing and granulating agglomerate materials.
- 3、 Crushing of heat-sensitive materials.

TECHNICAL PARAMETERS

Model / Item	KZL-100	KZL-180	KZL-300
Stator Siameter (mm)	100	180	300
Stator Length (mm)	98	178	298
Production Capacity (kg/h)	20-150	100-1500	200-2500
Power (kw)	1.1	1.5	3
Speed (rmp)	180-1400	180-1400	200-1400

More Photos

